
FIG.1

	<sub>[</sub>			······································
	LAMINATED STRUCTURE	VISIBLE LIGHT TRANSMITTANCE (%)	SOLAR RADIATION TRANSMITTANCE (%)	HAZE VALUE (%)
EXAMPLE 1	LAMINATED STRUCTURE A	70.8	47.6	0.4
EXAMPLE 2	LAMINATED STRUCTURE B	72	49.4	0.3
EXAMPLE 3	LAMINATED STRUCTURE C	75.8	47.8	0.4
EXAMPLE 4	LAMINATED STRUCTURE D	71 ·	42.6	0.4
EXAMPLE 5	LAMINATED STRUCTURE E	70.9	41.4	0.4
EXAMPLE 6	LAMINATED STRUCTURE F	71	39. 9	0.4
EXAMPLE 7	LAMINATED STRUCTURE G	73.5	48. 1	0.3
EXAMPLE 8	LAMINATED STRUCTURE H	71.2	48. 1	0.5
EXAMPLE 9	LAMINATED STRUCTURE I	72.3	48. 2	0.4
EXAMPLE 10	LAMINATED STRUCTURE J	71.8	46.8	0.4
EXAMPLE 11	LAMINATED STRUCTURE K	73.5	48. 2	0.4
EXAMPLE 12	LAMINATED STRUCTURE L	72	41.1	0.3
EXAMPLE 13	LAMINATED STRUCTURE M	71	46.3	0.4
EXAMPLE 14	LAMINATED STRUCTURE N	71.1	48	0.4
EXAMPLE 15	LAMINATED STRUCTURE O	72	46. 9	0.4
EXAMPLE 16	LAMINATED STRUCTURE P	70	35. 7	0.4
EXAMPLE 17	LAMINATED STRUCTURE Q	71	39. 4	0.4
EXAMPLE 18	LAMINATED STRUCTURE R	72	40. 2	0.4
EXAMPLE 19	LAMINATED STRUCTURE S	75	45	0.3
EXAMPLE 20	LAMINATED STRUCTURE T	66. 4	44	0.5
EXAMPLE 21	LAMINATED STRUCTURE U	66. 5	42.5	0.5
EXAMPLE 22	LAMINATED STRUCTURE V	71.5	45. 5	0.4
COMPARATIVE EXAMPLE 1	LAMINATED STRUCTURE W	72	53. 2	0.4

FIG.2






FIG.4





FIG.5



·FIG.6

